

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Bridgeton Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	27	17
AIDS-CD4 Only	57	37	0	0	57	36
HIV Only	#	#	#	#	74	47
-----	-----	---	-----	---	-----	---
Total	154	100	#	#	158	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	26	17	0	0	26	16
5-12	#	#	Black, Not Hispanic	#	#	#	#	93	59
13-19	#	#	Hispanic	37	24	0	0	37	23
20-29	13	8	Other/Unknown	#	#	#	#	#	#
30-39	45	28	-----	-----	---	-----	---	-----	---
40-49	63	40	Total	154	100	#	#	158	100
50+	32	20							
Unk.	0	0							
-----	-----	---							
Total	158	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	16	17	0	0	16	10
Injection drug user (IDU)	37	39	19	32	56	37
MSM/IDU	5	5	0	0	5	3
Heterosexual contact	15	16	23	39	38	25
Risk not reported/other***	21	22	17	29	38	25
-----	-----	---	-----	---	-----	---
Total	94	100	59	100	153	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 1 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Bridgeton Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	34	(20)
Other OI w/o PCP	#	(#)	#	(#)	#	(#)	#	(#)
KS Alone	#	(#)	#	(#)	#	(#)	#	(#)
No Disease Listed	94	(56)	37	(39)	0	(.)	94	(55)
Total	167	(100)	84	(50)	#	(100)	170	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	33	20	0	0	33	19
5-12	#	#	Black, Not Hispanic	#	#	#	#	101	59
13-19	#	#	Hispanic	33	20	0	0	33	19
20-29	18	11	Other/Unknown	#	#	#	#	#	#
30-39	78	46	-----	-----	-----	-----	-----	-----	-----
40-49	53	31	Total	167	100	#	#	170	100
Over 49	17	10							
Unknown	0	0							
Total	170	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	21	18	0	0	21	13
Injection drug user (IDU)	58	51	19	36	77	46
MSM/IDU	5	4	0	0	5	3
Heterosexual contact	13	11	21	40	34	20
Risk not reported/other***	17	15	13	25	30	18
Total	114	100	53	100	167	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Bridgeton Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	0	0	#
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	#	#	#
1990	5	5	100%
1991	10	10	100%
1992	8	6	75%
1993	14	9	64%
1994	13	7	54%
1995	17	11	65%
1996	19	12	63%
1997	8	#	#
1998	8	#	#
1999	16	7	44%
2000	16	#	#
2001	8	#	#
2002	8	#	#
2003	9	#	#
2004	#	#	#
-----	-----	-----	-----
Total	170	86	51%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Bridgeton Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	9	11
5-12	#	#	Black, Not Hispanic	#	#	#	#	51	65
13-19	#	#	Hispanic	20	26	0	0	20	25
20-29	28	35	Other/Unknown	0	0	0	0	0	0
30-39	16	20	-----	-----	---	-----	---	-----	---
40-49	25	31	Total	76	100	#	#	80	100
Over 49	#	#							
Unknown	0	0							
-----	-----	---							
Total	80	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	9	20	0	0	9	12
Injection drug user (IDU)	15	33	9	30	24	32
MSM/IDU	5	11	0	0	5	7
Heterosexual contact	5	11	13	43	18	24
Risk not reported/other***	12	26	8	27	20	26
-----	-----	---	-----	---	-----	---
Total	46	100	30	100	76	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Bridgeton Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	76	30
AIDS-CD4 Only	94	39	0	0	94	38
HIV Only	#	#	#	#	80	32
-----	-----	---	-----	---	-----	---
Total	243	100	7	100	250	100

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	5	2	White, Not Hispanic	42	17	0	0	42	17
5-12	#	#	Black, Not Hispanic	145	60	7	100	152	61
13-19	#	#	Hispanic	53	22	0	0	53	21
20-29	55	22	Other/Unknown	#	#	0	0	#	#
30-39	96	38	-----	-----	---	-----	---	-----	---
40-49	71	28	Total	243	100	7	100	250	100
Over 49	17	7							
Unknown	0	0							
-----	-----	---							
Total	250	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	30	19	0	0	30	12
Injection drug user (IDU)	73	46	28	34	101	42
MSM/IDU	10	6	0	0	10	4
Heterosexual contact	18	11	34	41	52	21
Risk not reported/other***	29	18	21	25	50	21
-----	-----	---	-----	---	-----	---
Total	160	100	83	100	243	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	7	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	7	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Bridgeton Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	6	6	100%
1988	#	#	#
1989	7	#	#
1990	5	#	80%
1991	15	12	80%
1992	32	11	34%
1993	18	9	50%
1994	19	10	53%
1995	25	8	32%
1996	20	8	40%
1997	12	#	#
1998	16	#	#
1999	15	#	#
2000	16	#	#
2001	14	#	#
2002	9	0	0%
2003	10	#	#
2004	5	#	#
-----	-----	-----	-----
Total	250	92	37%